EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	29	key adj length same key adj encrypt\$4 adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:52
L4	16	(COUILLARD near BRUNO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 09:55
L5	2414	(713/192-194).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/28 09:55
L6	39	L5 and @ad<"20010802" and @pd>"20070307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 09:55
L7	1278	(380/277).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/28 09:55
L8	23	L7 and @ad<"20010802" and @pd>"20070307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:56
L9	48	key adj encrypt\$4 adj key same root near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 09:56
L10	0	L9 and @ad<"20010802" and @pd>"20070307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:56
L11	22	key with encrypting adj key with length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:56
L12	0	L11 and @ad<"20010802" and @pd>"20070307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:56

EAST Search History

			<i>_</i>	_		
L13	269	encrypt\$4 with root adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:56
L14	4	L13 and @ad<"20010802" and @pd>"20070307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:57
L15	26	root adj encrypt\$4 adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:57
L16	0	L15 and @ad<"20010802" and @pd>"20070307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:57
L17	9	super with root with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:57
L18	0	L17 and @ad<"20010802" and @pd>"20070307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:57
L19	25	key with exchange same root adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:57
L20	1	L19 and @ad<"20010802" and @pd>"20070307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:58
L21	135	exchang\$4 with (key adj encrypt\$4 adj key (KEK))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:58
L22	0	L21 and @ad<"20010802" and @pd>"20070307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:58

EAST Search History

L23	173	master adj key same (key adj encrypt\$4 adj key (KEK))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:58
L24	1	L23 and @ad<"20010802" and @pd>"20070307"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:58